

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	682	707/205.ccls. and (@ad<"20010719")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/07/06 13:51
L2	0	707/205.ccls. and (@ad<"20010719") and ((search\$3 or quer\$5) with storage with pool)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/07/06 13:40
L3	148	707/205.ccls. and (@ad<"20010719") and (allocat\$5 with request\$3)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/07/06 13:41
L4	98	707/205.ccls. and (@ad<"20010719") and (allocat\$5 with request\$3) and (search\$3 quer\$5)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/07/06 13:41
L5	19	707/205.ccls. and (@ad<"20010719") and (allocat\$5 with request\$3) and (search\$3 quer\$5) and ((propert\$5 charact\$7) with (storage or disk or memory or cache or drive))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/07/06 13:42
L6	5719	(707/3-6.ccls. 707/205.ccls.) and (@ad<"20010719")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/07/06 13:52
L7	33	(707/3-6.ccls. 707/205.ccls.) and (@ad<"20010719") and (allocat\$5 with request\$3) and (search\$3 quer\$5) and ((propert\$5 charact\$7) with (storage or disk or memory or cache or drive))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/07/06 13:52
L8	10	(707/3-6.ccls. 707/205.ccls.) and (@ad<"20010719") and ((search\$3 or quer\$5) with storage with pool)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/07/06 13:53
S1	1	"20030018656"	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/02/03 17:00
S2	56	(storage adj2 administrator) and ((resource or storage or memory) with (allocat\$5 or request\$5)) and (@ad<"20010719")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2003/08/23 08:22

S3	24	((resource or storage or memory) with (allocat\$5 or request\$5)).ab. and ((resource or storage or memory) with (propert\$3 or character\$9)) and ((select\$3 or specify\$3 or identif\$5 or determin\$3 or choos\$5 or pick\$3) with (resource or storage or memory) with (requirement\$2 or desir\$5) with (propert\$3 or character\$9 or condition\$5)) and (@ad<"20010719")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/05/28 18:17
S4	16	(request\$3 same (resource or storage or memory) with allocat\$5) and ((resource or storage or memory) with (propert\$3 or character\$9)) and ((select\$3 or specify\$3 or identif\$5 or determin\$3 or choos\$5 or pick\$3 or match\$3) with (resource or storage or memory) with (requirement\$2 or desir\$5) with (propert\$3 or character\$9 or condition\$5)) and (@ad<"20010719")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/05/28 18:30
S5	1	"5018060".pn.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2003/08/23 08:25
S6	68	((user or client or administrator) with (select\$3 or specify\$3 or identif\$5 or choos\$5 or pick\$3) with (resource or storage or memory) with (requirement\$2 or preference\$3 or character\$9)) and ((resource or storage or memory) with (propert\$3 or character\$9)) and ((resource or storage or memory) with (allocat\$5 or request\$5)).ab. and (@ad<"20010719")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2003/08/23 08:49
S7	31	((user or client or administrator) with (select\$3 or specify\$3 or identif\$5 or choos\$5 or pick\$3) with (resource or storage or memory) with (requirement\$2 or preference\$3 or character\$9)) and ((provid\$3 or receiv\$3) with (resource or storage or memory) with (propert\$3 or character\$9 or condition\$5 or function\$5)) and ((resource or storage or memory) with (allocat\$5 or request\$5)).ab. and (@ad<"20010719")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2003/08/23 08:51

S8	75	((user or client or administrator) with (select\$3 or specify\$3 or identif\$5 or choos\$5 or pick\$3) with (resource or storage or memory) with (requirement\$2 or preference\$3 or character\$9)) and ((provid\$3 or receiv\$3) with (resource or storage or memory) with (propert\$3 or character\$9 or condition\$5 or function\$5)) and ((resource or storage or memory) with (allocat\$5 or request\$5)) and (@ad<"20010719") and ("707"/\$.ccls. or "711"/\$.ccls. or "709"/\$.ccls.)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2003/08/23 10:07
S9	7	"4104718".pn. or "4403288".pn. or "4467421".pn. or "4638425".pn. or "4607346".pn. or "4528624".pn. or "5018060".pn.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/02/04 13:51
S10	119	((request\$3 or allocat\$3) with (resource\$2 or space\$2 or disk\$2 or memor\$3)) with expression) and (@ad<"20010719")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/02/04 13:53
S11	26	((request\$3 or allocat\$3) with (resource\$2 or space\$2 or disk\$2 or storage\$2 or memor\$3)) same ((generat\$3 or build\$3 or built\$3) with expression)) and ((resource\$2 or space\$2 or disk\$2 or storage or memory) with (propert\$3 or character\$9)) and (@ad<"20010719")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/02/04 21:45
S12	29	((request\$3 or allocat\$3) with (resource\$2 or space\$2 or disk\$2 or storage\$2 or memor\$3)) same expression\$2) and ((resource\$2 or space\$2 or disk\$2 or storage or memory) with (propert\$3 or character\$9) with expression\$2) and (@ad<"20010719")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/02/04 21:45
S13	415	((resource or storage or memory or (hard adj (drive\$3 or disk\$2))) with (propert\$5 or character\$9)) and ((select\$3 or specify\$3 or identif\$5 or determin\$3 or choos\$5 or pick\$3) with (resource or storage or memory) with (requirement\$2 or desir\$5) with (propert\$3 or character\$9 or condition\$5)) and (@ad<"20010719")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/05/28 20:26

S14	858	((resource or storage or memory or (hard adj (drive\$3 or disk\$2))) with (propert\$5 or character\$9)) same ((select\$3 or specify\$3 or choos\$5 or allocat\$5) with (resource or storage or memory or (hard adj (drive\$3 or disk\$2))) with (propert\$5 or character\$9) with (match\$3 or meet or desir\$3 or required or requirement\$2))) and (@ad<"20010719")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/05/28 19:20
S15	34	((resource or storage or memory or (hard adj (drive\$3 or disk\$2))) with (propert\$5 or character\$9)) and ((select\$3 or specify\$3 or choos\$5 or allocat\$5) with (resource or storage or memory or (hard adj (drive\$3 or disk\$2))) with (propert\$5 or character\$9) with (match\$3 or meet or desir\$3 or required or requirement\$2)).ab. and (@ad<"20010719")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/05/28 18:54
S16	202	((select\$3 or specify\$3 or choos\$5 or allocat\$5) with (resource or storage or memory or (hard adj (drive\$3 or disk\$2))))).ab. and (((resource or storage or memory or (hard adj (drive\$3 or disk\$2))) with (propert\$5 or character\$9)) same ((select\$3 or specify\$3 or choos\$5 or allocat\$5) with (resource or storage or memory or (hard adj (drive\$3 or disk\$2))) with (propert\$5 or character\$9) with (match\$3 or meet or desir\$3 or required or requirement\$2))) and (@ad<"20010719")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/05/28 18:58
S17	109	((resource or storage or memory or (hard adj (drive\$3 or disk\$2))) with (propert\$5 or character\$9)) same ((select\$3 or specify\$3 or choos\$5 or allocat\$5) with (resource or storage or memory or (hard adj (drive\$3 or disk\$2))) with (propert\$5 or character\$9) with (match\$3 or meet or desir\$3 or required or requirement\$2))) and expression\$3 and (@ad<"20010719")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/05/28 19:04

S18	4	((resource or storage or memory or (hard adj (drive\$3 or disk\$2))) with (propert\$5 or character\$9)) and ((select\$3 or specify\$3 or choos\$5 or allocat\$5) with (resource or storage or memory or (hard adj (drive\$3 or disk\$2))) with (propert\$5 or character\$9) with (match\$3 or meet or desir\$3 or required or requirement\$2)) and ((select\$3 or specify\$3 or choos\$5 or search\$3) same ("and" or "or") with (both or all) with (propert\$5 or character\$9 or requirement\$2))) and (@ad<"20010719")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/05/28 20:00
S19	234	((resource or storage or memory or (hard adj (drive\$3 or disk\$2))) with (propert\$5 or character\$9)) and (search\$3 with (resource or storage or memory or (hard adj (drive\$3 or disk\$2))) with (propert\$5 or character\$9) with (match\$3 or meet or desir\$3 or required or requirement\$2)) and (@ad<"20010719")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/05/28 19:59
S20	28	(allocat\$3 with (resource or storage or memory or (hard adj (drive\$3 or disk\$2)))) and ((resource or storage or memory or (hard adj (drive\$3 or disk\$2))) with (propert\$5 or character\$9)) and (search\$3 with (resource or storage or memory or (hard adj (drive\$3 or disk\$2))) with (propert\$5 or character\$9) with (match\$3 or meet or desir\$3 or required or requirement\$2)) and (@ad<"20010719")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/02/06 16:15
S21	49	(search\$3 same (logical adj expression)) and (@ad<"20010719")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/02/06 16:13